

TigerStop®

fast and accurate...every time

TigerTouch™

TigerStop's intuitive touch screen part list processing and visual optimizing software platform.



TigerTouch™

Touch screen control and Dynamic Optimization™ for every TigerStop

Advanced Touch Screen Control

Any TigerStop can be enhanced with cutting edge touch screen control with TigerTouch.

From manual, all the way to fully automatic processing, TigerTouch can simplify any cutting process by putting full control at your fingertips!

Design and Data Come Together

TigerTouch combines a sleek interface with highly innovative, result-enhancing features such as statistics for each parts list, visual optimizing, and defecting solutions and customizable hot keys.

Start Move Manual Settings **TigerStop**

Load	Size	Clear	Volume	Load	Size	Clear	Volume	Load	Size	Clear	Volume
Length:	Quantity:	Remaining:	Length:	Quantity:	Remaining:	Length:	Quantity:	Remaining:	Length:	Quantity:	Remaining:
23.063	1	1	8.625	1	1	20.500	2	2	13.375	8	8
23.063	1	1	8.625	1	1	61.250	2	2	13.375	12	12
11.453	1	1	8.625	1	1	20.500	2	2	20.563	8	8
11.453	1	1	8.625	1	1	29.000	2	2	20.563	12	12
23.063	1	1	8.625	1	1	20.500	2	2			
23.063	1	1	8.625	1	1	61.250	2	2			
23.063	1	1	10.875	1	1	20.500	2	2			
23.063	1	1	10.875	1	1	29.000	2	2			
23.063	1	0	10.875	1	1	16.188	2	2			
23.063	1	1	10.875	1	1	24.375	2	2			

Lid 1 (in) Lid 2 (in) Lid 3 (in)
 'Gingerich - Lot 8 SR' "2 9/16" "3/4 Hard Maple" (cont) 'Mitcho - Lot 11 Bent Ridge Form' "2 9/16" "3/4 Hard Maple" 2250: Doors MAPLE

Position: 127.559in **STOP**

Start Move Manual Settings **TigerStop**

Load	Size	Clear	Volume	Load	Size	Clear	Volume	Load	Size	Clear	Volume
Length:	Quantity:	Remaining:	Length:	Quantity:	Remaining:	Length:	Quantity:	Remaining:	Length:	Quantity:	Remaining:
11.750	10	10	18.250	16	16	13.375	8	8			
14.750	4	4	5.875	2	2	13.375	12	12			
13.063	4	4	24.125	4	4	20.563	8	8			
15.375	4	4	9.250	16	16	20.563	12	12			
23.375	2	2	30.750	14	14						
26.750	4	4	9.375	2	2						
			31.000	2	2						
			9.500	4	4						
			36.250	20	20						
			9.750	6	6						

Lid 1 (in) Lid 2 (in) Lid 3 (in)
 D12 P12 8

Position: 138.860in **STOP**

Start Move Manual Settings **TigerStop**

Length:	Quantity:	Remaining:	Part	Count
23.063	1	0	"Door Right Rail"	15
11.453	1	1	"Door Left Rail"	19
11.453	1	1	"Door Right Rail"	19
23.063	1	0	"Door Right Rail"	20

Lid 1 (in)

Statistic	Result
Longest Piece	98.063
Shortest Piece	11.453
Total Pieces	100
Pieces Remaining	41
Total Material	220lb
Material Remaining	28
Waste	25.4%
Yield	79.6%

Position: 98.893in **STOP**

Start Move Manual Settings **TigerStop**

Length:	Quantity:	Remaining:
11.750	10	10
14.750	4	4
13.063	4	3
15.375	4	2

Lid 1 (in)

Statistic	Result
Longest Piece	26.750
Shortest Piece	11.750
Total Pieces	28
Pieces Remaining	23
Total Material	366
Material Remaining	28
Waste	51.4%
Yield	48.6%

Position: 112.074in **STOP**

Unparalleled Control

Process your parts in manual, semi-auto, or fully automatic mode when used in conjunction with your TigerStop Advanced Interconnect Kit. TigerTouch can take control of any TigerStop product and turn it into a high tech work cell.

One Place for Everything

Download cut lists from your office design software to TigerTouch, then watch TigerTouch use TigerStop's Dynamic Optimization software to turn that data into parts with custom printed labels. TigerTouch becomes the control hub for all TigerStop functions.

Easy-to-Learn Technology

Software learning curves start turning into flat lines when using the TigerTouch simple and intuitive interface. Every command is right at your fingertips!



TigerStop®

fast and accurate...every time

TigerTouch is available for:




TigerStop



TigerFence/
TigerCrossCut



TigerRack



TigerTurbo



HeavyDuty 2



TigerSaw 1000



TigerSaw 2000

TigerStop LLC

12909 NE 95th Street

Vancouver, WA 98682

www.tigerstop.com • Phone (360) 254-0661 • Fax (360) 260-0755

5/5/2017